INDEX TO
EXPERIMENTAL MECHANICS
Volume 22, 1982

Title Index

Analysis of Neutral Holes, On the — D.R. Budney and D.G. Bellow, 348-353 (Sept.).
Application of Reflection Holography to Deformation Measurement Problems — A.E. Ennos and M.S. Virdee, 202-209 (June).
Biaxial Testing of $[0_2/\pm 45]_s$ Graphite/Epoxy Plates with Holes — Isaac M. Daniel, 188-195 (May).
Brief Investigation of Induced Drilling Stresses in the Center-hole Method of Residual-stress Measurement — Michael T. Flaman, 26-30 (Jan.).
Calibration of High-temperature Strain Gages with the Aid of a Clamping Device — Peter Hofstoetter, 223-225 (June).
Collapse of Thick-walled Cylinders Under External Pressure — F.A. Simonen and R.J. Shippell, Jr., 41-48 (Feb.).
Combined Experimental and Numerical Method for the Solution of Generalized Elasticity Problems, A — Discussion by August J. Durelli, 39-40 (Jan.).
Crack Propagation at Material Interfaces: I. Experimental Technique to Determine Crack Profiles — K.M. Liechti and W.G. Knauss, 262-269 (July).
Crack Propagation at Material Interfaces: II. Experiments on Mode Interaction — K.M. Liechti and W.G. Knauss, 383-391 (Oct.).
Crack-tip Dynamic Isochromatics in the Presence of Small-scale Yielding — A.A. Betser, A.S. Kobayashi, O.S. Lee and B.S.-J. Kang, 132-138 (Apr.).
Crack-tip Measurements in Photoelastic Models — C.W. Smith and W.H. Peters, 448-453 (Dec.).
Cumulative Damage with Interaction Effect Due to Fatigue Under Torsion Loading — Thang Bui-Quoc, 180-187 (May).
Cyclic-inelastic Deformation and Fatigue Resistance of Notched-thin Aluminum Plates — B.N. Leis and N.D. Frey, 287-295 (Aug.).
Damage Field Near Crack Tips in a Filled Polymer, On the — R.H. Martinson, J.J. Hartog and G.C. Knollman, 329-335 (Sept.).
Delamination-crack Propagation of Ballistically Impacted Glass/Epoxy Composite Laminates — N. Takeda, R.L. Sierakowski, C.A. Ross and L.E. Malvern, 19-25 (Jan.).
Determination of Crack-speed History and Tip Locations for Cracks Moving with Nonuniform Velocity — H.P. Rossmanith and W.L. Fourney, 111-116 (Mar.).
Determination of Displacement and Strain Fields Using Dual-beam Holographic-moiré Interferometry — W.J. Beranek and A.J.A. Bruinsma, 317-323 (Sept.).
Determination of the Stress Distribution in Assemblies of Photoelastic Particles — Henderiekus G.B. Allersma, 336-341 (Sept.).
Dynamic Elastic Limit, On the — James F. Bell, 270-276 (July).
Dynamic Photoelasticity as an Aid in Developing New Ultrasonic-test Methods — C.P. Burger, A. Testa and A. Singh, 147-154 (Apr.).
Dynamic Surface-pressure Instrumentation for Rods in Parallel Flow — T.M. Mulcahy, W. Lawrence and M.W. Wambsganss, 31-36 (Jan.).
Effect of Relative Humidity and Coatings on the Torsional Fatigue of Aluminum, The — J.H. Wilson, H.H. Mabie and T.H. Gogoll, 392-397 (Oct.).
Elastic Pulse Propagation in Thin Hollow Cones — J.M. Lifshitz and G. Mor, 166-170 (May).
Experimental Investigation of Cog-root Strain in V-belts Using Birefringent Coatings, An — G.H. Staab and T.G. Richard, 476-480 (Dec.).
Experimental Investigation of the Instability of Composite Cylindrical Panels — M.L. Becker, A.N. Palazotto and N.S. Khot, 372-376 (Oct.).
Experimental Method of Determining the Uniaxial-compression Characteristics of Thin-walled Structures — R. Farris and A. Filippov, 49-51 (Feb.).
Experiments on Tension Measurement in Manufacruting Processes — Rolf P. Häggström, 106-110 (Mar.).
Extending the Laser Specklegram Technique to Strain Analysis of Rotating Components — C.H. Chien, J.L. Turner, W.F. Swinson and W.F. Ranson, 434-440 (Nov.).
Extension of Oblique-incidence Method to Photo-orthotropic Elasticity — Ramamurthy Prabhakaran, 462-467 (Dec.).
Fabrication of Birefringent Anisotropic Model Materials — Discussion by K. Abraham Jacob, 196 (May).
Fluid Effects and Response in Transverse Impact on Liquid-filled Tubes — F. Katsamanis and W. Goldsmith, 245-255 (July).
Fracture Behavior of Brittle Cantilever Beam Subjected to Lateral Impact Load, On — S. Kida and J. Oda, 69-74 (Feb.).
Frequency Components of Fluid-lift Forces Acting on a Cylinder Oscillating in Still Water, The — K.G. McConnell and Y.-S. Park, 216-222 (June).
Full-field Displacement and Strain Rosettes by Moiré Interferometry — E.M. Weissman and D. Post, 324-328 (Sept.).
Holographic Moiré in Real Time — C.A. Sciammarella, P.K. Rastogi, P. Jacquot and R. Narayanan, 52-63 (Feb.).
Holo-photoelastic Method for Three-dimensional Stress Analysis — F.-L. Dai and K.-C. Chiang, 468-475 (Dec.).
Inherent Problems in Force Measurement — P.E. Pontius and R.A. Mitchell, 81-88 (Mar.).
Interfacial Fracture of Space-shuttle Thermal-protection Systems — A. Komine and A.S. Kobayashi, 454-461 (Dec.).
Measurement of Mode I Stress-intensity Factors by Scattered-light Photoelasticity — E.L. Ross, G. Kaminski and J.C. Conway, 117-120 (Mar.).
Measurement of Strain in the Hostile Environment of High-pressure Water (80 MPa), On the — A.S. Khan and J.C. Chen, 401-406 (Nov.).
Method to Observe and Record Vibration Modes of Rotating Circular Objects, A — E. Moller and U. Ringh, 226-230 (June).
Model to Predict the Coupled Axial Torsion Properties of ACSR Electrical Conductors, A — K.G. McConnell and W.P. Zemke, 237-244 (July).
Modeling Architectural Structure: Experimental Mechanics in Historiography and Criticism — Robert Mark, 361-371 (Oct.).
Moiré Method: A Review, The — C.A. Sciammarella, 418-433 (Nov.).
Multidimensional-crack-growth Prediction Methodology for Flaws Originating at Fastener Holes, A — W.T. Fujimoto and C.R. Saff, 139-146 (Apr.).
Natural Frequencies of Circular Arcs with Varying Cross-Section — T. Irie, G. Yamada and Y. Fujikawa, 407-411 (Nov.).
Nonlinearity in Flow Birefringence, On a — James F. Doyle, 37-38 (Jan.).
Photoelastic Analysis of Contact Stresses in the Presence of Machining Irregularities — N.V. Scurria and J.F. Doyle, 342-347 (Sept.).
Photoelastic Study of Axially Loaded Thick-notched Bars — N.A. Rubayi and M.E. Taft, 377-382 (Oct.).
Photoelastic Studies on Progress of Separation in Interference Fits — S.P. Ghosh, B. Dattaguru and A.K. Rao, 8-15 (Jan.).
Photoelasticity in the Assessment of Structural Integrity — J. Morton and C. Ruiz, 210-215 (June).
Photothermoelastic Analysis of Transient Thermal Stresses — I. Miskioglu and C.P. Burger, 89-95 (Mar.).
Postbuckling Behavior of Composite-stiffened-curved Panels Loaded in Compression — B.L. Agarwal, 231-236 (June).
Precision Strain Standard by Moire Interferometry for Strain-gage Calibration — R.B. Watson and D. Post, 256-261 (July).
Recent Research Activities in Experimental Mechanics in China — Y.C. Chia and M.C. Fu, 171-173 (May).
Reinforcement of Perforated Metal Sheets by Thermal Shock with Laser Beams — T.R. Hsu, W.J. McAllister and D.A. Scarth, 302-309 (Aug.).
Relationship Between Tensile Strength and Flexure Strength in Fiber-reinforced Composites, The — Discussion by Ramamurthy Prabhakaran, 38-39 (Jan.).
Remote Displacement Analysis Using Multimode Fiber-optic Bundles — J.A. Gilbert, M.E. Schultz and A.J. Boehnlein, 398-400 (Oct.).
Reversible Strain Gage — Koichi Egawa, 161-165 (May).
Room-temperature Post-yield Creep — E.H. Jordan and A.D. Freed, 354-360 (Sept.).
Separation of Isochromatics and Isopachics Using a Faraday Rotator in Dynamic-holographic Photoelasticity — J.P. Lallemand and A. Lagarde, 174-179 (May).
Service-simulation Tests to Determine the Fatigue Life of Outside-diameter-notched Thick-wall Cylinders — J.A. Kapp and J.H. Underwood, 96-100 (Mar.).
Simple Creep Torsiometer and its Use in the Thermorheological Characterization of a Structural Adhesive, A — V.H. Kenner, W.G. Knauss and H. Chai, 75-80 (Feb.).
Simplified Method for Eliminating Error of Transverse Sensitivity of Strain Gage, A — Gu Wei-Ming, 16-18 (Jan.).
Strain Behavior of Pressurized Cracked Thick-walled Cylinders — J.F. Throop and R.R. Fujczak, 277-286 (Aug.).
Stress-intensity Factors for Plain Concrete Bending — Prenotched Versus Precracked Beams — S.E. Swartz, K.K. Hu, M. Fartash, and C.-J. Huang, 412-417 (Nov.).
Study of Basic Patterns of Light Scattering in Aqueous Solution of Milling Yellow — A.R. Krishnamurthy and J.T. Pindera, 1-7 (Jan.).
System for Measuring the Surface Profile of a Spinning Disk, A — John G. Wagner, 296-301 (Aug.).
Tests on the Local Strengths of Elastic Thin-walled Columns — T.R. Graves Smith, 101-105 (Mar.).
Three-dimensional Strain in Rolled Slabs by Photo-plastic Simulation — C.P. Burger and H.A. Gomide, 441-447 (Dec.).
Time-average In-plane Moiré Method for the Analysis of Nonsinusoidal Cyclic Loading — C.J. Lin and F.P. Chiang, 64-68 (Feb.).
Uniaxial Stress-Strain Curves from a Bending Test — R.A. Mayville and I. Finnie, 197-201 (June).
Use of Strain Gages for Equipment-reliability Improvement in the Electric-utility Industry — J.S. Takhar and R.A. Fryzel, 121-131 (Apr.).
Utility of a Probability-density-function Curve and F-maps in Composite-material Inspection — J.L. Rose, Y.H. Jeong and M.J. Avioli, 155-160 (Apr.).
Viscoelastic Analysis of Residual Stress in Quenched Thermosetting Resin Basins — Y. Miyano, M. Shimbo and T. Kunio, 310-316 (Aug.).

Author Index

Agarwal, B.L. — Postbuckling Behavior of Composite-stiffened-curved Panels Loaded in Compression, 231-236 (June).
Allersma, H.G.B. — Determination of the Stress Distribution in Assemblies of Photoelastic Particles, 336-341 (Sept.).
Avioli, M.J. — Utility of a Probability-density-function Curve and F-maps in Composite-material Inspection, 155-160 (Apr.).
Becker, M.L. — Experimental Investigation of the Instability of Composite Cylindrical Panels, 372-376 (Oct.).
Bell, J.F. — On the Dynamic Elastic Limit, 270-276 (July).
Bellow, D.G. — On the Analysis of Neutral Holes, 348-353 (Sept.).
Beranek, W.J. — Determination of Displacement and Strain Fields Using Dual-beam Holographic-moiré Interferometry, 317-323 (Sept.).
Betser, A.A. — Crack-tip Dynamic Isochromatics in the Presence of Small-scale Yielding, 132-138 (Apr.).
Boehnlein, A.J. — Remote Displacement Analysis Using Multimode Fiber-optic Bundles, 398-400 (Oct.).
Bruinsma, A.J.A. — Determination of Displacement and Strain Fields Using Dual-beam Holographic-moiré Interferometry, 317-323 (Sept.).
Budney, D.R. — On the Analysis of Neutral Holes, 348-353 (Sept.).
Bui-Quoc, T. — Cumulative Damage with Interaction Effect Due to Fatigue Under Torsion Loading, 180-187 (May).
Burger, C.P. — Photothermoelastic Analysis of Transient Thermal Stresses, 89-95 (Mar.).
Dynamic Photoelasticity as an Aid in Developing New Ultrasonic-test Methods, 147-154 (Apr.).
Three-dimensional Strain in Rolled Slabs by Photoplastic Simulation, 441-447 (Dec.).
Chai, H. — A Simple Torsiometer and its Use in the Thermorheological Characterization of a Structural Adhesive, 75-80 (Feb.).
Chen, J.C. — On the Measurement of Strain in the Hostile Environment of High-pressure Water (80 MPa), 401-406 (Nov.).
Chia, Y.C. — Recent Research Activities in Experimental Mechanics in China, 171-173 (May).
Chiang, F.P. — Time-average In-plane Moiré Method for the Analysis of Nonsinusoidal Cyclic Loading, 64-68 (Feb.).
Chiang, K.-C. — Holo-photoelastic Method for Three-dimensional Stress Analysis, 468-475 (Dec.).
Chien, C.H. — Extending the Laser Specklegram Technique to Strain Analysis of Rotating Components, 434-440 (Nov.).
Conway, J.C. — Measurement of Mode I Stress-intensity Factors by Scattered-light Photoelasticity, 117-120 (Mar.).
Dai, F.-L. — Holo-photoelastic Method for Three-dimensional Stress Analysis, 468-475 (Dec.).
Daniel, I.M. — Biaxial Testing of $[0_2/\pm 45]_s$ Graphite/Epoxy Plates with Holes, 188-195 (May).
Dattaguru, B. — Photoelastic Studies on Progress of Separation in Interference Fits, 8-15 (Jan.).
Doyle, J.F. — Nonlinearity in Flow Birefringence, 37-38 (Jan.).
Photoelastic Analysis of Contact Stresses in the Presence of Machining Irregularities, 342-347 (Sept.).
Durelli, A.J. — A Combined Experimental and Numerical Method for the Solution of Generalized Elasticity Problems, Discussion, 39-40 (Jan.).
Egawa, K. — Reversible Strain Gage, 161-165 (May).
Ennos, A.E. — Application of Reflection Holography to Deformation Measurement Problems, 202-209 (June).
Farris, R. — Experimental Method of Determining the Uniaxial-compression Characteristics of Thin-walled Structures, 49-51 (Feb.).
Fartash, M. — Stress-intensity Factors for Plain Concrete Bending — Prenotched Versus Precracked Beams, 412-417 (Nov.).
Filippov, A. — Experimental Method of Determining the Uniaxial-compression Characteristics of Thin-walled Structures, 49-51 (Feb.).
Finnie, I. — Uniaxial Stress-Strain Curves from a Bending Test, 197-201 (June).
Flaman, M.T. — Brief Investigation of Induced Drilling Stresses in the Center-hole Method of Residual-stress Measurement, 26-30 (Jan.).
Fourney, W.L. — Determination of Crack-speed History and Tip Locations for Cracks Moving with Nonuniform Velocity, 111-116 (Mar.).
Freed, A.D. — Room-temperature Post-yield Creep, 354-360 (Sept.).
Frey, N.D. — Cyclic-inelastic Deformation and Fatigue Resistance of Notched-thin Aluminum Plates, 287-295 (Aug.).
Fryzel, R.A. — Use of Strain Gages for Equipment-reliability Improvement in the Electric-utility Industry, 121-131 (Apr.).
Fu, M.C. — Recent Research Activities in Experimental Mechanics in China, 171-173 (May).
Fujczak, R.R. — Strain Behavior of Pressurized Cracked Thick-walled Cylinders, 277-286 (Aug.).
Fujikawa, Y. — Natural Frequencies of Circular Arcs with Varying Cross-Section, 407-411 (Nov.).
Fujimoto, W.T. — A Multidimensional-crack-growth Prediction Methodology for Flaws Originating at Fastener Holes, 139-146 (Apr.).
Ghosh, S.P. — Photoelastic Studies on Progress of Separation in Interference Fits, 8-15 (Jan.).
Gilbert, J.A. — Remote Displacement Analysis Using Multimode Fiber-optic Bundles, 398-400 (Oct.).
Gogoll, T.H. — The Effect of Relative Humidity and Coatings on the Torsional Fatigue of Aluminum, 392-397 (Oct.).
Goldsmith, W. — Fluid Effects and Response in Transverse Impact on Liquid-filled Tubes, 245-255 (July).
Gomide, H.A. — Three-dimensional Strain in Rolled Slabs by Photoplastic Simulation, 441-447 (Dec.).
Gu, Wei-Ming — A Simplified Method for Eliminating Error of Transverse Sensitivity of Strain Gage, 16-18 (Jan.).
Häggström, R.P. — Experiments on Tension Measurement in Manufacturing Processes, 106-110 (Mar.).
Hartog, J.J. — On the Damage Field Near Crack Tips in a Filled Polymer, 329-335 (Sept.).
Hofstoetter, P. — Calibration of High-temperature Strain Gages with the Aid of a Clamping Device, 223-225 (June).
Hsu, T.R. — Reinforcement of Perforated Metal Sheets by Thermal Shock with Laser Beams, 302-309 (Aug.).
Hu, K.K. — Stress-intensity Factors for Plain Concrete Bending—Prenotched Versus Precracked Beams, 412-417 (Nov.).
Huang, C.-J. — Stress-intensity Factors for Plain Concrete Bending—Prenotched Versus Precracked Beams, 412-417 (Nov.).
Irie, T. — Natural Frequencies of Circular Arcs with Varying Cross-Section, 407-411 (Nov.).
Jacob, K.A. — Fabrication of Birefringent Anisotropic Model Materials, Discussion, 196 (May).
Jacquot, P. — Holographic Moiré in Real Time, 52-63 (Feb.).
Jeong, Y.H. — Utility of a Probability-density-function Curve and F-maps in Composite-material Inspection, 155-160 (Apr.).
Jordan, E.H. — Room-temperature Post-yield Creep, 354-360 (Sept.).
Kaminski, G. — Measurement of Mode I Stress-intensity Factors by Scattered-light Photoelasticity, 117-120 (Mar.).
Kang, B.S.-J. — Crack-tip Dynamic Isochromatics in the Presence of Small-scale Yielding, 132-138 (Apr.).
Kapp, J.A. — Service-simulation Tests to Determine the Fatigue Life of Outside-diameter-notched Thick-wall Cylinders, 96-100 (Mar.).
Katsamanis, F. — Fluid Effects and Response in Transverse Impact on Liquid-filled Tubes, 245-255 (July).
Kenner, V.H. — A Simple Creep Torsiometer and its Use in the Thermorheological Characterization of a Structural Adhesive, 75-80 (Feb.).
Khan, A.S. — On the Measurement of Strain in the Hostile Environment of High-pressure Water (80 MPa), 401-406 (Nov.).
Khot, N.S. — Experimental Investigation of the Instability of Composite Cylindrical Panels, 372-376 (Oct.).
Kida, S. — On Fracture Behavior of Brittle Cantilever Beam Subjected to Lateral Impact Load, 69-74 (Feb.).
Knauss, W.G. — A Simple Creep Torsiometer and its Use in the Thermorheological Characterization of a Structural Adhesive, 75-80 (Feb.).
Crack Propagation at Material Interfaces: I. Experimental Technique to Determine Crack Profiles, 262-269 (July).
Crack Propagation at Material Interfaces: II. Experiments on Mode Interaction, 383-391 (Oct.).
Knollman, G.C. — On the Damage Field Near Crack Tips in a Filled Polymer, 329-335 (Sept.).
Kobayashi, A.S. — Crack-tip Dynamic Isochromatics in the Presence of Small-scale Yielding, 132-138 (Apr.).
Interfacial Fracture of Space-shuttle Thermal-protection Systems, 454-461 (Dec.).
Komine, A. — Interfacial Fracture of Space-shuttle Thermal-protection Systems, 454-461 (Dec.).
Krishnamurthy, A.R. — Study of Basic Patterns of Light Scattering in Aqueous Solution of Milling Yellow, 1-7 (Jan.).
Kunio, T. — Viscoelastic Analysis of Residual Stress in Quenched Thermosetting Resin Basins, 310-316 (Aug.).
Lagarde, A. — Separation of Isochromatics and Isopachics Using a Faraday Rotator in Dynamic-holographic Photoelasticity, 174-179 (May).
Lallemand, J.P. — Separation of Isochromatics and Isopachics Using a Faraday Rotator in Dynamic-holographic Photoelasticity, 174-179 (May).
Lawrence, W. — Dynamic Surface-pressure Instrumentation for Rods in Parallel Flow, 31-36 (Jan.).
Lee, O.S. — Crack-tip Dynamic Isochromatics in the Presence of Small-scale Yielding, 132-138 (Apr.).
Leis, B.N. — Cyclic-inelastic Deformation and Fatigue Resistance of Notched-thin Aluminum Plates, 287-295 (Aug.).
Liechti, K.M. — Crack Propagation at Material Interfaces: I. Experimental Technique to Determine Crack Profiles, 262-269 (July).
Crack Propagation at Material Interfaces: II. Experiments on Mode Interaction, 383-391 (Oct.).
Lifshitz, J.M. — Elastic Pulse Propagation in Thin Hollow Cones, 166-170 (May).
Lin, C.J. — Time-average In-plane Moiré Method for the Analysis of Nonsinusoidal Cyclic Loading, 64-68 (Feb.).
Mabie, H.H. — The Effect of Relative Humidity and Coatings on the Torsional Fatigue of Aluminum 392-397 (Oct.).
Malvern, L.E. — Delamination-crack Propagation of Ballistically Impacted Glass/Epoxy Composite Laminates, 19-25 (Jan.).
Mark, R. — Modeling Architectural Structure: Experimental Mechanics in Historiography and Criticism, 361-371 (Oct.).
Martinson, R.H. — On the Damage Field Near Crack Tips in a Filled Polymer, 329-335 (Sept.).
Mayville, R.A. — Uniaxial Stress-Strain Curves from a Bending Test, 197-201 (June).
McAllister, W.J. — Reinforcement of Perforated Metal Sheets by Thermal Shock with Laser Beams, 302-309 (Aug.).
McConnell, K.G. — The Frequency Components of Fluid-lift Forces Acting on a Cylinder Oscillating in Still Water, 216-222 (June).
A Model to Predict the Coupled Axial Torsion Properties of ACSR Electrical Conductors, 237-244 (July).
Miskioglu, I. — Photothermoelastic Analysis of Transient Thermal Stresses, 89-95 (Mar.).
Mitchell, R.A. — Inherent Problems in Force Measurement, 81-88 (Mar.).
Miyano, Y. — Viscoelastic Analysis of Residual Stress in Quenched Thermosetting Resin Basins, 310-316 (Aug.).
Moller, E. — A Method to Observe and Record Vibration Modes of Rotating Circular Objects, 226-230 (June).
Mor, G. — Elastic Pulse Propagation in Thin Hollow Cones, 166-170 (May).
Morton, J. — Photoelasticity in the Assessment of Structural Integrity, 210-215 (June).
Mulcahy, T.M. — Dynamic Surface-pressure Instrumentation for Rods in Parallel Flow, 31-36 (Jan.).
Narayanan, R. — Holographic Moiré in Real Time, 52-63 (Feb.).
Oda, J. — On Fracture Behavior of Brittle Cantilever Beam Subjected

to Lateral Impact Load, 69-74 (Feb.).
Palazotto, A.N. — Experimental Investigation of the Instability of Composite Cylindrical Panels, 372-376 (Oct.).
Park, Y.-S. — The Frequency Components of Fluid-lift Forces Acting on a Cylinder Oscillating in Still Water, 216-222 (June).
Peters, W.H. — Crack-tip Measurements in Photoplastic Models, 448-453 (Dec.).
Pindera, J.T. — Study of Basic Patterns of Light Scattering in Aqueous Solution of Milling Yellow, 1-7 (Jan.).
Pontius, P.E. — Inherent Problems in Force Measurement, 81-88 (Mar.).
Post, D. — Precision Strain Standard by Moiré Interferometry for Strain-gage Calibration, 256-261 (July).
Full-field Displacement and Strain Rosettes by Moiré Interferometry, 324-328 (Sept.).
Prabhakaran, R. — The Relationship Between Tensile Strength and Flexure Strength in Fiber-reinforced Composites, Discussion, 38-39 (Jan.).
Extension of Oblique-incidence Method to Photo-orthotropic Elasticity, 462-467 (Dec.).
Ranson, W.F. — Extending the Laser Specklegram Technique to Strain Analysis of Rotating Components, 434-440 (Nov.).
Rao, A.K. — Photoelastic Studies on Progress of Separation in Interference Fits, 8-15 (Jan.).
Rastogi, P.K. — Holographic Moiré in Real Time, 52-63 (Feb.).
Richard, T.G. — An Experimental Investigation of Cog-root Strain in V-belts Using Birefringent Coatings, 476-480 (Dec.).
Ringh, U. — A Method to Observe and Record Vibration Modes of Rotating Circular Objects, 226-230 (June).
Rose, J.L. — Utility of a Probability-density-function Curve and F-maps in Composite-material Inspection, 155-160 (Apr.).
Ross, C.A. — Delamination-crack Propagation of Ballistically Impacted Glass/Epoxy Composite Laminates, 19-25 (Jan.).
Ross, E.L. — Measurement of Mode I Stress-intensity Factors by Scattered-light Photoelasticity, 117-120 (Mar.).
Rossmanith, H.P. — Determination of Crack-speed History and Tip Locations for Cracks Moving with Nonuniform Velocity, 111-116 (Mar.).
Rubayi, N.A. — Photoelastic Study of Axially Loaded Thick-notched Bars, 377-382 (Oct.).
Ruiz, C. — Photoelasticity in the Assessment of Structural Integrity, 210-215 (June).
Saff, C.R. — A Multidimensional-crack-growth Prediction Methodology for Flaws Originating at Fastener Holes, 139-146 (Apr.).
Scarth, D.A. — Reinforcement of Perforated Metal Sheets by Thermal Shock with Laser Beams, 302-309 (Aug.).
Schultz, M.E. — Remote Displacement Analysis Using Multimode Fiber-optic Bundles, 398-400 (Oct.).
Sciammarella, C.A. — Holographic Moiré in Real Time, 52-63 (Feb.).
The Moiré Method: A Review, 418-433 (Nov.).
Scurria, N.V. — Photoelastic Analysis of Contact Stresses in the Presence of Machining Irregularities, 342-347 (Sept.).
Shimbo, M. — Viscoelastic Analysis of Residual Stress in Quenched Thermosetting Resin Basins, 310-316 (Aug.).
Shippell, Jr., R.J. — Collapse of Thick-walled Cylinders under External Pressure, 41-48 (Feb.).
Sierakowski, R.L. — Delamination-crack Propagation of Ballistically Impacted Glass/Epoxy Composite Laminates, 19-25 (Jan.).
Simonen, F.A. — Collapse of Thick-walled Cylinders under External Pressure, 41-48 (Feb.).
Singh, A. — Dynamic Photoelasticity as an Aid in Developing New Ultrasonic-test Methods, 147-154 (Apr.).
Smith, C.W. — Crack-tip Measurements in Photoplastic Models, 448-453 (Dec.).
Smith, T.R.G. — Tests on the Local Strengths of Elastic Thin-walled Columns, 101-105 (Mar.).
Staab, G.H. — An Experimental Investigation of Cog-root Strain in V-belts Using Birefringent Coatings, 476-480 (Dec.).
Swartz, S.E. — Stress-intensity Factors for Plain Concrete Bending — Prenotched Versus Precracked Beams, 412-417 (Nov.).
Swinson, W.F. — Extending the Laser Specklegram Technique to Strain Analysis of Rotating Components, 434-440 (Nov.).
Taft, M.E. — Photoelastic Study of Axially Loaded Thick-notched Bars, 377-382 (Oct.).
Takeda, N. — Delamination-crack Propagation of Ballistically Impacted Glass/Epoxy Composite Laminates, 19-25 (Jan.).
Takhar, J.S. — Use of Strain Gages for Equipment-reliability Improvement in the Electric-utility Industry, 121-131 (Apr.).
Testa, A. — Dynamic Photoelasticity as an Aid in Developing New Ultrasonic-test Methods, 147-154 (Apr.).
Throop, J.F. — Strain Behavior of Pressurized Cracked Thick-walled Cylinders, 277-286 (Aug.).
Turner, J.L. — Extending the Laser Specklegram Technique to Strain Analysis of Rotating Components, 434-440 (Nov.).
Underwood, J.H. — Service-simulation Tests to Determine the Fatigue Life of Outside-diameter-notched Thick-wall Cylinders, 96-100 (Mar.).
Virdee, M.S. — Application of Reflection Holography to Deformation Measurement Problems, 202-209 (June).
Wagner, John G. — A System for Measuring the Surface Profile of a Spinning Disk, 296-301 (Aug.).
Wambsganss, M.W. — Dynamic Surface-pressure Instrumentation for Rods in Parallel Flow, 31-36 (Jan.).
Watson, R.B. — Precision Strain Standard by Moiré Interferometry for Strain-gage Calibration, 256-261 (July).
Weissman, E.M. — Full-field Displacement and Strain Rosettes by Moiré Interferometry, 324-328 (Sept.).
Wilson, J.H. — The Effect of Relative Humidity and Coatings on the Torsional Fatigue of Aluminum, 392-397 (Oct.).
Yamada, G. — Natural Frequencies of Circular Arcs with Varying Cross-Section, 407-411 (Nov.).
Zemke, W.P. — A Model to Predict the Coupled Axial Torsion Properties of ACSR Electrical Conductors, 237-244 (July).

Analyze

INSTANT DATA ANALYSIS
In an all solid state portable Histogram Recorder

- Week, months or years of data storage capability
- Rugged Construction for field or lab applications
- 1% or better resolution with 10^8 or more events per cell
- Sample rates to 10 kHz
- No moving parts

Use for
- Strain cycle counting
- Dynamic loads survey
- Hydraulic studies
- Temperature surveys

For detailed information contact

Novatech Corporation
226 Commerce Street
P.O. Box 324
Broomfield, CO 80020
(303) 469-7893

NOVATECH

For details, circle No. 26 on Reader Information Card